



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)

Email: igllab@icgl.com



TC - 10289

TEST REPORT

ULR No.	TC1028922000000167F		
Test Report No. TR/AAQ/2022/10/03-003	Issue Date: 03.10.2022		
Issued to:	M/s India Glycols Limited (Herbal Extraction Unit) Plot No. 2 - 5, Pharma City, Selaqui, Dehradun		
Type of Sample:	Ambient Air		
Sampling Location:	Near STP cum ETP		
Date of Sampling:	27.09.2022 to 28.09.2022		
Sample Drawn by:	Sampling by Laboratory		
Packing, Marking & Seal:	Envelop marked as "S-1" & Absorbing Solution in Reagent Bottle Mark "S-1"		
Sampling Plan & Method:	IS: 5182 (P-14)		
Date of Sample Receiving:	28.09.2022		
Time of Sampling:	24 Hrs. (1000 Hrs to 1000 Hrs)		
Testing Protocol:	National Ambient Air Quality Standards (NAAQS), 2009		
Environment Conditions:	Temperature	Humidity	Weather Condition
	27°C	81%	Clear sky
Analysis Duration:	28.09.2022 to 01.10.2022		

RESULTS

S.No	Test Parameters	Units	Results	Limits as per NAAQS, 2009	Test Method
1.	Particulate Matter (PM _{2.5})	µg/m ³	45.05	60	IS:5182 (24): 2019
2.	Particulate Matter (PM ₁₀)	µg/m ³	83.41	100	IS:5182 (23): 2006
3.	Sulphur Dioxide (SO ₂)	µg/m ³	10.80	80	IS :5182 (2): 2001
4.	Nitrogen Oxides (as NO ₂)	µg/m ³	19.98	80	IS :5182 (6): 2006
5.	Ozone (O ₃)	µg/m ³	BDL	100	IS :5182 (IX)-1974 R 2003
6.	Ammonia (NH ₃)	µg/m ³	BDL	400	IS:5182 (25): 2018

BDL- Below Detection Limit (Detection Limit : Ozone - 10.0 µg/m³, Ammonia -10.0 µg/m³).

End of Report

Pradeep Pathak
(Pradeep Pathak)
(Checked by)

Chakresh Pathak
Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)

(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22003, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)

Email: iclab@isg.com



TC - 10289

TEST REPORT

ULR No.	TC1028922000000168F		
Test Report No. TR/AAQ/2022/10/03-004	Issue Date: 03.10.2022		
Issued to:	M/s India Glycols Limited (Herbal Extraction Unit) Plot No. 2 - 5, Pharma City, Selaqui, Dehradun		
Type of Sample:	Ambient Air		
Sampling Location:	Near Solvent Yard		
Date of Sampling:	27.09.2022 to 28.09.2022		
Sample Drawn by:	Sampling by Laboratory		
Packing, Marking & Seal:	Envelop marked as "SY-1" & Absorbing Solution in Reagent Bottle Mark "SY-1"		
Sampling Plan & Method:	IS: 5182 (P-14)		
Date of Sample Receiving:	28.09.2022		
Time of Sampling:	24 Hrs. (1020 Hrs to 1020 Hrs)		
Testing Protocol:	National Ambient Air Quality Standards (NAAQS), 2009		
Environment Conditions:	Temperature	Humidity	Weather Condition
	27°C	81%	Clear sky
Analysis Duration:	28.09.2022 to 01.10.2022		

RESULTS

S.No	Test Parameters	Units	Results	Limits as per NAAQS, 2009	Test Method
1.	Particulate Matter (PM _{2.5})	µg/m ³	43.73	60	IS:5182 (24): 2019
2.	Particulate Matter (PM ₁₀)	µg/m ³	83.75	100	IS:5182 (23): 2006
3.	Sulphur Dioxide (SO ₂)	µg/m ³	11.22	80	IS :5182 (2): 2001
4.	Nitrogen Oxides (as NO ₂)	µg/m ³	20.90	80	IS :5182 (6): 2006
5.	Ozone (O ₃)	µg/m ³	BDL	100	IS :5182 (IX)-1974 R 2003
6.	Ammonia (NH ₃)	µg/m ³	BDL	400	IS:5182 (25): 2018

BDL- Below Detection Limit (Detection Limit : Ozone - 10.0 µg/m³, Ammonia -10.0 µg/m³).

End of Report

(Pradeep Pathak)
(Checked by)

Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)
(Authorized Signatory)

Notes:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, PSSC: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)
Email: islabksp@gmail.com



TEST REPORT

ULR No.	TC1028922000000165F				
Test Report No. TR/AAQ/2022/10/03-001	Issue Date: 03.10.2022				
Issued to:	M/s India Glycols Limited (Herbal Extraction Unit) Plot No. 2 - 5, Pharma City, Selaqui, Dehradun				
Type of Sample:	Ambient Air				
Sampling Location:	Near Main Gate				
Date of Sampling:	26.09.2022 to 27.09.2022				
Sample Drawn by:	Sampling by Laboratory				
Packing, Marking & Seal:	Envelop marked as "MG-1" & Absorbing Solution in Reagent Bottle Mark "MG-1"				
Sampling Plan & Method:	IS: 5182 (P-14)				
Date of Sample Receiving:	28.09.2022				
Time of Sampling:	24 Hrs. (0900 Hrs to 0900 Hrs)				
Testing Protocol:	National Ambient Air Quality Standards (NAAQS), 2009				
Environment Conditions:	Temperature	Humidity	Weather Condition		
	28°C	82%	Cloudy		
Analysis Duration:	28.09.2022 to 01.10.2022				
RESULTS					
S.No	Test Parameters	Units	Results	Limits as per NAAQS, 2009	Test Method
1.	Particulate Matter (PM _{2.5})	µg/m ³	82 (24) 45.64	60	IS:5182 (24): 2019
2.	Particulate Matter (PM ₁₀)	µg/m ³	82 (23) 84.82	100	IS:5182 (23): 2006
3.	Sulphur Dioxide (SO ₂)	µg/m ³	82 (2) 10.18	80	IS :5182 (2): 2001
4.	Nitrogen Oxides (as NO ₂)	µg/m ³	82 (6) 21.62	80	IS :5182 (6): 2006
5.	Ozone (O ₃)	µg/m ³	BDL	100	IS :5182 (IX)-1974 R 2003
6.	Ammonia (NH ₃)	µg/m ³	BDL	400	IS:5182 (25): 2018

BDL- Below Detection Limit (Detection Limit: Ozone - 10.0 µg/m³, Ammonia-10.0 µg/m³).

End of Report

PKM
(Pradeep Pathak)
(Checked by)

(Authorized Signatory)

Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)

(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, on ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)
Email: info@igsl.com



TEST REPORT

ULR No.	TC1028922000000166F		
Test Report No. TR/AAQ/2022/10/03-002	Issue Date: 03.10.2022		
Issued to:	M/s India Glycols Limited (Herbal Extraction Unit) Plot No. 2 - 5, Pharma City, Selaqui, Dehradun		
Type of Sample:	Ambient Air		
Sampling Location:	Near Boiler		
Date of Sampling:	26.09.2022 to 27.09.2022		
Sample Drawn by:	Sampling by Laboratory		
Packing, Marking & Seal:	Envelop marked as "B-1" & Absorbing Solution in Reagent Bottle Mark "B-1"		
Sampling Plan & Method:	IS: 5182 (P-14)		
Date of Sample Receiving:	28.09.2022		
Time of Sampling:	24 Hrs. (0910 Hrs to 0910 Hrs)		
Testing Protocol:	National Ambient Air Quality Standards (NAAQS), 2009		
Environment Conditions:	Temperature	Humidity	Weather Condition
	28°C	82%	Cloudy
Analysis Duration:	28.09.2022 to 01.10.2022		

RESULTS

S.No	Test Parameters	Units	Results	Limits as per NAAQS, 2009	Test Method
1.	Particulate Matter (PM _{2.5})	µg/m ³	45.50	60	IS:5182 (24): 2019
2	Particulate Matter (PM ₁₀)	µg/m ³	84.74	100	IS:5182 (23): 2006
3.	Sulphur Dioxide (SO ₂)	µg/m ³	11.22	80	IS :5182 (2): 2001;
4.	Nitrogen Oxides (as NO ₂)	µg/m ³	22.79	80	IS :5182 (6): 2006
5.	Ozone (O ₃)	µg/m ³	BDL	100	IS :5182 (IX)-1974 R. 2003
6.	Ammonia (NH ₃)	µg/m ³	BDL	400	IS:5182 (25): 2018

BDL- Below Detection Limit (Detection Limit: Ozone - 10.0 µg/m³, Ammonia -10.0 µg/m³).

End of Report

Pradeep Pathak
(Pradeep Pathak)
(Checked by)

Chakresh Pathak
Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)

(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)

Email: labinfo@india-glycols.com



TC - 10289

TEST REPORT

ULR No.		TC1028922000000173F				
Report Code : TR/DW/2022/10/03-001		Issue Date: 03.10.2022				
Issued to:		M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, Selaqui, Dehradun Uttarakhand				
Type of Sample:		Ground Water				
Sampling Location:		Bore well				
Sample Quantity:		2 Ltr.				
Date of Sampling:		28.09.2022				
Sampling Protocol:		IS: 3025 (P-1)				
Sample Packaging & Marking:		Plastic bottle marked "GW-1".				
Sample Drawn by:		Sampling by Laboratory				
Environmental Condition:		Cloudy				
Date of Receipt of Sample:		28.09.2022				
Analysis of Duration:		28.09.2022 to 03.10.2022				
S.No	Test Parameters	Units	Results	Specification (IS:10500-2012)		Test Method
				Acceptable Limit	Permissible Limit	
A Physical Parameters						
1	pH value@°C	--	7.39@ 26.6°C	6.5 to 8.5	No relaxation	IS: 3025(P-11) 1983 R-2002
2	Total Dissolved Solids	mg/l	227.8	Max 500	Max 2000	IS: 3025 (P-16): 1984
3	Color	APHA	< 5.0	Max 5	Max 15	IS: 3025(P-4)1983 R-2002
4	Turbidity	NTU	< 1.0	Max 1	Max 5	IS: 3025 (P- 10) 1984 R-2002
B Chemical Parameters						
5	Total Hardness (as CaCO ₃)	mg/l	176.8	Max 200	Max 600	IS: 3025(P-21) 1983R2002
6	Chlorides (as Cl)	mg/l	20.30	Max 250	Max 1000	IS: 3025 (P-32): 1988
7	Calcium (as Ca)	mg/l	57.52	Max. 75	Max. 200	IS:3025 (P-40) : 1991
8	Magnesium (as Mg)	mg/l	10.18	Max. 30	Max. 100	IS:3025 (P-46) : 1994
9	Sulphate (as SO ₄)	mg/l	21.3	Max 200	Max 400	IS: 3025 (P-24)1986, R 2003
10	Total Alkalinity	mg/l	173.6	Max 200	Max 600	IS:3025 (P-23) 1986, R 2003

Note:

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)
Email: info@igsol.com



TC - 10289

11.	Boron	mg/l	ND	Max 0.5	Max 1.0	APHA23 rd Edition 4500-B Curcumin Method: 2017
12.	Copper	mg/l	ND	Max 0.05	Max 1.5	APHA23 rd Edition 3500-Cu-Neocuproin Method: 2017
13.	Fluoride	mg/l	BDL	Max 1.0	Max 1.5	APHA23 rd Edition 4500-F SPADNS method: 2017
14.	Iron	mg/l	0.14	Max 0.3	No relaxation	APHA23 rd Edition 3500-Fe Phenanthroline Method: 2017

ND - Not Detected

BDL - Below Detection Limit (DL - 0.2 mg/l)

End of Report

Pradeep Pathak
(Pradeep Pathak)
(Checked by)

Pathak
Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)
(Authorized Signatory)

Notes:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22010, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Barapur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)

Email: info@igl.com@osmail.com



TC - 10289

TEST REPORT

ULR No.		TC1028922000000176F
Test Report No: TR/SM/2022/10/03-003	:	Issued Date: 03.10.2022
Issued to	:	M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, selaqui, Dehradun Uttarakhand
Sample Description	:	Stack Emission
Sampling Location	:	DG-1
Date of Sampling	:	27.09.2022
Capacity (TPH/ KVA/ Kg/Hr)	:	750 KVA
Type of Stack (Metal/RCC/Brick)	:	Metal
Shape of Stack (Circular/Rectangular)	:	Circular
Diameter of Stack (Meter)	:	0.3
Height of Stack from Ground Level (M)	:	18
Type of Fuel used (HSD/FO/Coal etc.)	:	HSD
Fuel consumed per Hour	:	--
Ambient Temperature (°C)	:	29.0
Stack Temperature (°C)	:	345.0
Average velocity of emission (m/sec)	:	14.23
Average Flow Rate (LPM)	:	29.0
Duration of Sampling (min.)	:	34.0 (1130 Hrs. to 1204 Hrs.)
Sampling Protocol	:	IS: 11255 & Customer Requirement
Sampling Packing & Marking	:	Sealed Zip Poly bag & Plastic bottles
Sample Drawn By	:	Sampling by Laboratory
Environmental Condition	:	Clear Sky
Date of Receipt of Sample:	:	28.09.2022
Analysis Duration	:	28.09.2022 to 30.09.2022

S.No	Test Parameter	Unit	Results	Limits	Test Method
1.	Particulate Matter (PM)	gm/Kw-hr	0.179	0.3	IS: 11255 (P-1) 1985
2.	Sulphur Dioxide (SO ₂)	gm/Kw-hr	0.128	NA	IS: 11255 (P-2) 1985
3.	Nitrogen Oxides (as NO _x)	gm/Kw-hr	0.084	9.2	IS: 11255 (P-7) 2005

End of Report

Pradeep
(Pradeep Pathak)
(Checked By)

Pathak
Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)
(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)
Email: iglabs@igmail.com



TEST REPORT

ULR No.	TC1028922000000178F
Test Report No: TR/SM/2022/10/03-005	: Issued Date: 03.10.2022
Issued to	: M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, selaqui, Dehradun Uttarakhand
Sample Description	: Stack Emission
Sampling Location	: DG-3
Date of Sampling	: 27.09.2022
Capacity (TPH/ KVA/ Kg/Hr)	: 1000 KVA
Type of Stack (Metal/RCC/Brick)	: Metal
Shape of Stack (Circular/Rectangular)	: Circular
Diameter of Stack (Meter)	: 0.3
Height of Stack from Ground Level (M)	: 18
Type of Fuel used (HSD/FO/Coal etc.)	: HSD
Fuel consumed per Hour	: --
Ambient Temperature (°C)	: 30.0
Stack Temperature (°C)	: 360.0
Average velocity of emission (m/sec)	: 14.40
Average Flow Rate (LPM)	: 29
Duration of Sampling (min.)	: 35.0 (1605 Hrs. to 1640 Hrs.)
Sampling Protocol	: IS: 11255 & Customer Requirement
Sampling Packing & Marking	: Sealed Zip Poly bag & Plastic bottles
Sample Drawn By	: Sampling by Laboratory
Environmental Condition	: Clear Sky
Date of Receipt of Sample:	: 28.09.2022
Analysis Duration	: 28.09.2022 to 30.09.2022

S.No	Test Parameter	Unit	Results	Limits	Test Method
1.	Particulate Matter (PM) @ 15% O ₂ correction	gm/Kw-hr	0.163	0.3	IS: 11255 (P-1) 1985
2.	Sulphur Dioxide (SO ₂)	gm/Kw-hr	0.040	NA	IS: 11255 (P-2) 1985
3.	Nitrogen Oxides (as NO _x)	gm/Kw-hr	0.072	9.2	IS: 11255 (P-7) 2005

End of Report

(Pradeep Pathak)
(Checked By)

Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)
(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSC: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)

Email: info@itl.com



TC - 10289

TEST REPORT

ULR No.	TC1028922000000174F
Test Report No: TR/SM/2022/10/03-001	: Issued Date: 03.10.2022
Issued to	: M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, selaqui, Dehradun Uttarakhand
Sample Description	: Stack Emission
Sampling Location	: Boiler
Date of Sampling	: 26.09.2022
Capacity (TPH/ KVA/ Kg/Hr)	: 4 TPH
Type of Stack (Metal/RCC/Brick)	: Metal
Shape of Stack (Circular/Rectangular)	: Circular
Diameter of Stack (Meter)	: 1.2
Height of Stack from Ground Level (M)	: 42
Type of Fuel used (HSD/FO/Coal etc.)	: Briquette
Fuel consumed per Hour	: --
Ambient Temperature (°C)	: 32
Stack Temperature (°C)	: 142
Average velocity of emission (m/sec)	: 10.69
Average Flow Rate (LPM)	: 15.0
Duration of Sampling (min.)	: 69.0 (1110 Hrs. to 1219 Hrs.)
Sampling Protocol	: IS: 11255 & Customer Requirement
Sampling Packing & Marking	: Sealed Zip Poly bag & Plastic bottles
Sample Drawn By	: Sampling by Laboratory
Environmental Condition	: Cloudy
Date of Receipt of Sample:	: 28.09.2022
Analysis Duration	: 28.09.2022 to 30.09.2022

S.No	Test Parameter	Unit	Results	Limits	Test Method
1.	Particulate Matter (PM) @ 12% CO ₂ correction	mg/Nm ³	153.57	800	IS: 11255 (P-1) 1985
2.	Sulphur Dioxide (SO ₂)	mg/Nm ³	65.62	600	IS: 11255 (P-2) 1985
3.	Nitrogen Oxides (as NO _x)	mg/Nm ³	72.15	300	IS: 11255 (P-7) 2005

End of Report

(Pradeep Pathak)
(Checked By)

Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
(Kashipur (U.S. Nagar))

(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)

Email: info@india-glycols.com



TC - 10289

TEST REPORT

ULR No.	TC1028922000000175F
Test Report No: TR/SM/2022/10/03-002	: Issued Date: 03.10.2022
Issued to	: M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, selaqui, Dehradun Uttarakhand
Sample Description	: Stack Emission
Sampling Location	: Boiler
Date of Sampling	: 26.09.2022
Capacity (TPH/ KVA/ Kg/Hr)	: 6 TPH
Type of Stack (Metal/RCC/Brick)	: Metal
Shape of Stack (Circular/Rectangular)	: Circular
Diameter of Stack (Meter)	: 1.2
Height of Stack from Ground Level (M)	: 42
Type of Fuel used (HSD/FO/Coal etc.)	: Briquette
Fuel consumed per Hour	: --
Ambient Temperature (°C)	: 31.0
Stack Temperature (°C)	: 148.0
Average velocity of emission (m/sec)	: 11.69
Average Flow Rate (LPM)	: 16.0
Duration of Sampling (min.)	: 64.0 (1415 Hrs. to 1519Hrs.)
Sampling Protocol	: IS: 11255 & Customer Requirement
Sampling Packing & Marking	: Sealed Zip Poly bag & Plastic bottles
Sample Drawn By	: Sampling by Laboratory
Environmental Condition	: Cloudy
Date of Receipt of Sample:	: 28.09.2022
Analysis Duration	: 28.09.2022 to 30.09.2022

S.No	Test Parameter	Unit	Results	Limits	Test Method
1.	Particulate Matter (PM) @ 12% CO ₂ correction	mg/Nm ³	196.09	800	IS: 11255 (P-1) 1985
2.	Sulphur Dioxide (SO ₂)	mg/Nm ³	79.71	600	IS: 11255 (P-2) 1985
3.	Nitrogen Oxides (as NO _x)	mg/Nm ³	82.96	300	IS: 11255 (P-7) 2005

End of Report

Pradeep Pathak
(Pradeep Pathak)
(Checked By)

Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)
(Authorized Signatory)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSCI: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Bazpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)
Email: icllab@icgl.com



TC - 10289


TEST REPORT

ULR No.	:	TC1028922000000177F
Test Report No: TR/SM/2022/10/03-004	:	Issued Date: 03.10.2022
Issued to	:	M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, selaqui, Dehradun Uttarakhand
Sample Description	:	Stack Emission
Sampling Location	:	DG-2
Date of Sampling	:	27.09.2022
Capacity (TPH/ KVA/ Kg/Hr)	:	750 KVA
Type of Stack (Metal/RCC/Brick)	:	Metal
Shape of Stack (Circular/Rectangular)	:	Circular
Diameter of Stack (Meter)	:	0.3
Height of Stack from Ground Level (M)	:	18
Type of Fuel used (HSD/FO/Coal etc.)	:	HSD
Fuel consumed per Hour	:	--
Ambient Temperature (°C)	:	30.0
Stack Temperature (°C)	:	350.0
Average velocity of emission (m/sec)	:	14.03
Average Flow Rate (LPM)	:	29.0
Duration of Sampling (min.)	:	35.0 (1415 Hrs. to 1450 Hrs.)
Sampling Protocol	:	IS: 11255 & Customer Requirement
Sampling Packing & Marking	:	Sealed Zip Poly bag & Plastic bottles
Sample Drawn By	:	Sampling by Laboratory
Environmental Condition	:	Clear Sky
Date of Receipt of Sample:	:	28.09.2022
Analysis Duration	:	28.09.2022 to 30.09.2022

S.No	Test Parameter	Unit	Results	Limits	Test Method
1.	Particulate Matter (PM)	gm/Kw-hr	0.180	0.3	IS: 11255 (P-1) 1985
2.	Sulphur Dioxide (SO ₂)	gm/Kw-hr	0.120	NA	IS: 11255 (P-2) 1985
3.	Nitrogen Oxides (as NO _x)	gm/Kw-hr	0.092	9.2	IS: 11255 (P-7) 2005

End of Report


(Pradeep Pathak)
(Checked By)


Dr. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)

(Authorized Signatory)

Notes:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.



INDIA GLYCOLS LIMITED, LABORATORY

(A unit of India Glycols Limited, an ISO: 9001, ISO: 14001, OHSAS: 18001, ISO: 22000, FSSC: 22000, SA: 8000, ISO: 50001 certified Company)

A-1, Industrial Area Baxpur Road, Kashipur
District - Udham Singh Nagar - 244713 (Uttarakhand)
Email: is@indgly.com



TC - 10289

TEST REPORT

ULR No.	TC1028922000000180F				
Report Code : TR/WW/2022/10/03-001	Issue Date: 03.10.2022				
Issued to:	M/s India Glycols limited, Herbal Extraction Unit Plot No. 2-5, Pharma City, selaqui, Dehradun Uttarakhand				
Type of Sample:	Waste Water				
Sampling Location:	STP Cum ETP Outlet				
Sample Quantity:	2 Ltr. + 1 Ltr.				
Date of Sampling:	28.09.2022				
Sampling Protocol:	IS: 3025 (P-1)				
Sample Packaging & Marking:	PP Bottle + Glass bottle marked as "1".				
Sample Drawn by:	Sampling by Laboratory				
Environmental Condition:	Sunny day				
Date of Receipt of Sample:	28.09.2022				
Analysis of Duration:	28.09.2022 to 03.10.2022				
S.No.	Test Parameters	Units	Results	Limits	Test Method
A Physical Parameters					
1.	pH value@°C	-	7.49 @ 26.1°C	5.5 - 9.0	IS: 3025(P-11) 1983 R-2002
2.	Total Suspended Solids	mg/l	48.0	100.0	IS: 3025(P-16) 1984
B Chemical Parameters					
3.	Oil & Grease	mg/l	<4.0	10.0	IS: 3025 (P-39) 2006
4.	Chemical Oxygen Demand (COD)	mg/l	72.0	250.0	IS: 3025 (P-58) 2006
5.	Biochemical Oxygen Demand (BOD) @ 27°C for 3 days	mg/l	20.0	30.0	IS: 3025 (P-44) 1993

End of Report


(Pradeep Pathak)
(Checked by)


(Authorized Signatory)
DR. CHAKRESH PATHAK
QUALITY MANAGER
INDIA GLYCOLS LIMITED
LABORATORY
Kashipur (U.S. Nagar)

Note:

- 1) The test report refers only to tested sample and applicable parameters.
- 2) This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- 3) This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- 4) The Test sample will be disposed off after one week from the date of issue of test report, unless until specified by the customer.